

| Category | Status | Source | Description | Map ID | Location | Final Score | Phase |
|------------------------|-------------|------------|--|--------|--|-------------|-----------------|
| | | | Designate as bike boulevard for entire length. Add curb and | | | | |
| | | | sidewalk west of Estes or consider pedestrian lane between | | | | |
| Bicycle and Pedestrian | Recommended | TSP | Country View Road and Estes. | 11 | NW Spring St from Country View to Barnedt | 35.5 | 1 - Near Term |
| | | | | | | | |
| | | | Reconstruct, add sidewalk one side. Add high-visibility pedestrian | | Spring St from Estes to Barnedt, and crossing | | _ |
| Pedestrian | Planned | STIP & TSP | and bicycle crossing with curb extensions on Estes freight corridor. | 14 | improvements at Estes and Spring | 35.0 | 1 - Near Term |
| Pedestrian | Planned | STIP | Reconstruct with curb on both sides and sidewalk on west side. | 39 | Church Ave from Columbia to Jewett | 33.6 | 1 - Near Term |
| | | | Reconstruct with sidewalk on one side. Columbia between Main | | | | |
| Pedestrian | Planned | STIP | and Estes | 24 | Columbia St from Main to Estes | 28.8 | 1 - Near Term |
| | | | | | | | |
| Pedestrian | Planned | STIP | Reconstruct road and add sidewalks to both sides. | 31 | Scenic St from Main to Estes | 23.2 | 1 - Near Term |
| Pedestrian | Planned | STIP | Reconstruct with sidewalk one side. | 57 | Grandview Blvd from Pioneer to O'Keefe | 20.2 | 1 - Near Term |
| redestriari | rianned | 3111 | neconstruct with sidewalk one side. | 31 | drandview bivd from Floricer to O Reele | 20.2 | 1 - Near Terrir |
| | | | Reconstruct Oak from 1st to Dock Grade with sidewalk on one | | | | |
| | | | side. Designate as bike boulevard with shared lane marking until | | Oak St from 1st to Dock Grade, 1st from Wysers to Oak, | | |
| Bicycle and Pedestrian | Planned | STIP & TSP | Dock Grade/6th. Reconstruct 2nd Ave with sidewalk on one side. | 65 | and 2nd Ave from Wyers to Oak | 16.7 | 1 - Near Term |
| | | | | | | | |
| Roadway | Planned | STIP | Reconstruct with sidewalk on south side. | 44 | Waubish St from SR 141 to west end | 10.5 | 1 - Near Term |
| | | | Construct dedicated bicycle lanes with protective buffers. Green | | | | |
| Bicycle | Recommended | TSP | stormwater infrastructure where possible instead of parking. | 10 | N Main St | 13 3 | 2 - Medium Term |
| Dicycle | Recommended | 131 | Add high-visibility pedestrian and bicycle crossing across Main. | 13 | IN Main St | 43.5 | Z Wediam remi |
| Intersection | Recommended | TSP | Repaint crossing on Cherry if needed. | 16 | Main St & Cherry St | 32.8 | 2 - Medium Term |
| | | 1.5. | Designate as bike boulevard with shared lane marking and striped | | in an ex ex enemy ex | 32.3 | |
| Bicycle and Pedestrian | Recommended | TSP | pedestrian lane. | 18 | Fields Ave | 28.1 | 2 - Medium Term |
| | | | | | | | |
| | | | White Salmon-Bingen Loop Trail - Build new bike and pedestrian | | | | |
| | | | improvements on the south side of SR-14 and along SR 141, via | | | | |
| | | | Oak St in Bingen, connecting Heritage Plaza to new Bluff Trail | | | | |
| | | | crossing, riverside park, dock, and downtown White Salmon to | | | | |
| | | | downtown Bingen. Construct planted parkway, and narrow travel | | | | |
| | | | lanes. Improvements may include a combination of bike lanes, | | | | |
| | | | shared-use paths, and sidewalks, with a target of achieving level of | | | | |
| | | | traffic stress 2 or better. Consider speed limit reduction to 35 or 30 | | | | |
| Bicycle and Pedestrian | Recommended | TSP | mph. | | New Multi-Use Trail | 27.7 | 2 - Medium Term |
| | | | Consider a bike path on the north side adjacent to the sidewalk for | | | | |
| | | | students bicycling to school. Consider widening existing asphalt | | | | |
| Bicycle and Pedestrian | Recommended | TSP | shared-use path on south side. | 5 | NW Loop Rd | 26.8 | 2 - Medium Term |

| Category | Status | Source | Description | Map ID | Location | Final Score | Phase |
|------------------------|-------------|--------|--|--------|--|-------------|-----------------|
| | | | Designate as bike boulevard with sidewalk or pedestrian lane on | | | | |
| | | | one side. Provides option for pedestrians and bicyclists who prefer | | | | |
| Bicycle and Pedestrian | Recommended | TSP | not using Jewett/141. | 68 | NE Vine St | 26.3 | 2 - Medium Term |
| | | | Install bicycle and pedestrian improvements. Improvements may | | | | |
| | | | include a combination of bike lanes, shared-use paths, and | | | | |
| | | | sidewalks, with a target of achieving level of traffic stress 2 or | | | | |
| Bicycle and Pedestrian | Recommended | TSP | better. Consider speed limit reductions. | 29 | SR-141 | 26.1 | 2 - Medium Term |
| | | | Reconstruct with sidewalks on both sides, and designate as bike | | | | |
| Bicycle and Pedestrian | Recommended | TSP | boulevard. | 22 | NE Green St | 25.9 | 2 - Medium Term |
| | | | Add sidewalk on north side east of Main, consider pedestrian lane | | | | |
| Pedestrian | Recommended | TSP | west of Main. | 15 | NE Cherry St | 25.5 | 2 - Medium Term |
| | | | Add pedestrian facilities such as sidewalks or pedestrian lanes | | | | |
| Pedestrian | Recommended | TSP | along the El Camino Real - Lincoln corridor. | 34 | NW Lincoln St | 25.0 | 2 - Medium Term |
| Transit | Recommended | TSP | Bus stop improvements and possible relocation. | 30 | Main St Bus Stop | 24.0 | 2 - Medium Term |
| Pedestrian | Recommended | TSP | Reconstruct with sidewalk and curb on both sides. | 36 | NE Washington St | 23.6 | 2 - Medium Term |
| | | | Mini traffic circle to intersect bicycle boulevard with bike facilities | | | | |
| Intersection | Recommended | TSP | on Main and act as traffic calming device. | 12 | Spring St & Main St | 23.5 | 2 - Medium Term |
| Intersection | Recommended | TSP | Consider curb extensions and bike route signage. | 45 | Tohomish St & Wauna Ave | 22.5 | 2 - Medium Term |
| | | | Freight route. Incorporate green stormwater infrastructure where | | | | |
| Roadway | Recommended | TSP | possible instead of parking. | 25 | NE Estes Ave | 21.7 | 2 - Medium Term |
| | | | Create bicycle and pedestrian pathway through Firemen's Park, | | | | |
| | | | connecting to high-visibility crosswalks on Grandview and Jewett. | | | | |
| | | | Repaint 5th St ped crossing. Add ped-activated signal or RRFB for | | | | |
| Intersection | Recommended | TSP | Jewett crossing. | 55 | Jewett/141 & Grandview, Pioneer, and 5th | 21.5 | 2 - Medium Term |
| | | | In the short term, add a railing on Dock Grade Rd. In the longer term, | | | | |
| | | | stabilize the cut and fill portions of the road base and widen for two- | | | | |
| D: 1 1D 1 1: | | TCD | way travel. Add protected shared-use path for walking and bicycling | 70 | | 24.5 | 2 NA 11 T |
| Bicycle and Pedestrian | Recommended | TSP | access. | 70 | Dock Grade Rd | 21.5 | 2 - Medium Term |
| | | | | | | | |
| D: 1 1D 1 | | TCD | Repave until extent of residential settlement. Add sidepath for | 4.4 | ANALL: 1 G | 10.6 | |
| Bicycle and Pedestrian | Recommended | TSP | walking and bicycling along one side of roadway for full extent. | 41 | NW Lincoln St | 18.6 | 2 - Medium Term |
| | | | Chairman // and actuic a trail are a sand to account to Milate Column a with | | | | |
| | | | Stairway/pedestrian trail proposed to connect White Salmon with | | | | |
| D 1 1 1 | | TCD | Hood River Bridgehead and the Park & Ride, with viewing | 66 | DI ((T .) | 12.2 | 2 NA 11 T |
| Pedestrian | Recommended | TSP | platforms and north- and south-end trailheads. | 66 | Bluff Trail | 12.3 | 2 - Medium Term |
| D 1 4 3 | | TCD | Add pedestrian facilities such as sidewalks or pedestrian lanes | 47 | | 4.4.0 | 2 I T |
| Pedestrian | Recommended | TSP | along the El Camino Real - Lincoln corridor. | 17 | El Camino Real | 14.0 | 3 - Long Term |
| New connection to | D 1 1 | TCD | Character and an extraord Continue City | _ | N. C. | 4.40 | 2 I T |
| existing street | Recommended | TSP | Street extension between Spring St and Loop Rd. | 9 | New Street | 14.0 | 3 - Long Term |
| | | | Designate as hike hardevand part of Fatas Fill side wells | | | | |
| Dievela and Dadastei | D | TCD | Designate as bike boulevard east of Estes. Fill sidewalk gaps on | 40 | Tabanish Ca | 42.7 | 2 . I T |
| Bicycle and Pedestrian | Recommended | TSP | north side. Provide wayfinding signage towards the Bike Park. | 48 | Tohomish St | 13.7 | 3 - Long Term |

White Salmon TSP "Lite"

| Category | Status | Source | Description | Map ID | Location | Final Score | Phase |
|------------------------|-------------|--------|--|--------|---|-------------|---------------|
| Roadway | Planned | STIP | Chipseal paving. | 26 | Hood St | 13.7 | 3 - Long Term |
| New connection to | | | Concept for new one-way multimodal road in parallel to existing | | | | 3 |
| existing street | Recommended | TSP | Dock Grade Road. | 74 | New Street (Dock Grade Rd) | 13.3 | 3 - Long Term |
| Transit | Recommended | TSP | Bus stop improvements. | | Downtown White Salmon Bus Stop | | 3 - Long Term |
| New connection to | | | | | | | <u> </u> |
| existing street | Recommended | TSP | Street extension between Spring St and Loop Rd. | 8 | New Street | 13.0 | 3 - Long Term |
| | | | Designate as bike boulevard with shared lane markings between | | | | <u> </u> |
| Bicycle | Recommended | TSP | Pioneer and Orchard. | 59 | NE Grandview Blvd | 12.7 | 3 - Long Term |
| , | | | | | | | <u> </u> |
| Intersection | Recommended | TSP | Add traffic circle to calm and control traffic access to hospital. | 77 | Jewett/141 & Skyline Dr | 12.0 | 3 - Long Term |
| Intersection | Planned | WSDOT | Planned traffic circle project. | | Jewett/141 & Dock Grade Rd | | 3 - Long Term |
| Intersection | Planned | WSDOT | Planned traffic circle project. | | Jewett/141 & Estes Ave | | 3 - Long Term |
| | | | | | | | 3 |
| | | | Add high visibility bicycle/pedestrian crosswalk across Estes on | | | | |
| | | | south side of Green, using the island median as a mid landing. | | | | |
| Intersection | Recommended | TSP | Consider adding pedestrian crossing signage or RRFB. | 23 | Estes Ave & Green St | 12.0 | 3 - Long Term |
| | | | Traffic circle, potential to add RRFB to crossing with advance | | | | J |
| Intersection | Recommended | TSP | signage on Main northbound before the curve. | 6 | Main Ave/Loop Rd & Snowden Rd | 12.0 | 3 - Long Term |
| | | | | | | | J |
| Intersection | Recommended | TSP | Add traffic circle to calm and control traffic access to schools. | 4 | Loop Rd & Bruin Country Rd | 12.0 | 3 - Long Term |
| | | | | | | | J |
| | | | Add protected crossing with potential median island. High | | | | |
| Intersection | Recommended | TSP | visibility crosswalk with signage and ped/bike-activated signal. | 75 | Jewett/141 & Vine St | 11.7 | 3 - Long Term |
| Pedestrian | Planned | STIP | Reconstruct road, add sidewalk on east side. | 43 | Garfield Ave | 11.7 | 3 - Long Term |
| | | | | | | | |
| Bicycle and Pedestrian | Recommended | TSP | Add separated shared-use path for students cycling to school. | 3 | NW Simmons Rd | 11.3 | 3 - Long Term |
| Intersection | Planned | WSDOT | Crosswalk and landing across Jewett/141 at Grandview. | 54 | Jewett and Grandview | 11.0 | 3 - Long Term |
| Intersection | Planned | STIP | Add traffic circle and crosswalk. | 47 | Jewett and Garfield | 11.0 | 3 - Long Term |
| | | | Designate as bike boulevard. Continue sidewalk, filling gaps | | | | |
| Bicycle and Pedestrian | Recommended | TSP | between Washington St and Green St. | 32 | NE Snohomish Ave | 10.3 | 3 - Long Term |
| | | | Add high-visibility crossing at the three-way stop controlled | | | | |
| Intersection | Recommended | TSP | intersection. | 46 | O'Keefe Ave & Tohomish St | 10.0 | 3 - Long Term |
| New connection to | | | | | | | |
| existing street | Recommended | TSP | Extend SW Waubish St and formalize SW Dogwood Ln. | 38 | SW Waubish St | 10.0 | 3 - Long Term |
| Intersection | Planned | WSDOT | Hood River Bridge and SR 14 Interchange upgrade project. | 72 | Hood River Bridge & SR 14 | 9.0 | 3 - Long Term |
| | | | Add traffic signal if 7th becomes connection to new parallel Dock | | | | |
| Intersection | Recommended | TSP | Grade Road. | 69 | Jewett/141 & 7th Ave | 9.0 | 3 - Long Term |
| Intersection | Recommended | TSP | Traffic circle/roundabout. | 67 | Dock Grade Rd and SR-14 | | 3 - Long Term |
| Transit | Recommended | TSP | Bus stop improvements. | 40 | Pioneer Center/Senior Services Bus Stop | | 3 - Long Term |
| | | | Potential signalisation (full or ped-activated) of intersection. Add | | | | |
| Intersection | Recommended | TSP | high-visibility bike/ped crossing. | 71 | Dock Grade Rd & Oak St | 8.0 | 3 - Long Term |

White Salmon TSP "Lite"

| Category | Status | Source | Description | Map ID | Location | Final Score | Phase |
|------------------------|-------------|--------|--|--------|------------------|-------------|---------------|
| | | | | | | | |
| Dadatrian | D | TCD | Reconstruct/repave road and add sidewalk on East side from Oak | 60 | CE 4th Acce | 0.0 | 2 . Laws Tawa |
| Pedestrian | Recommended | TSP | to Wyers. Add full sidewalk and curb on West side to Jewett. Designate as bike boulevard with shared lane marking between | 60 | SE 4th Ave | 8.0 | 3 - Long Term |
| Picyclo | Docommondod | TCD | Grandview and Tohomish. | 40 | NE Dianage DI | 0.0 | 2 Long Torm |
| Bicycle | Recommended | TSP | Grandview and Tonomish. | 49 | NE Pioneer Pl | 8.0 | 3 - Long Term |
| Intersection | Recommended | TSP | Add roundabout/traffic circle to alleviate dangerous intersection. | 42 | SR 14 & SPUR 141 | 8.0 | 3 - Long Term |
| New connection to | | | | | | | 3 |
| existing street | Recommended | TSP | New street connecting Main St and Spring St. | 10 | New Street | 8.0 | 3 - Long Term |
| New connection to | | | | | | | 3 |
| existing street | Recommended | TSP | Extend NE Tillotson Dr to Snowdon Rd. | 7 | NE Tillotson Dr | 8.0 | 3 - Long Term |
| Other | Recommended | TSP | Build a public boat dock along the river bank. | 78 | Columbia River | 7.7 | 3 - Long Term |
| | | | Designate as bike boulevard with shared lane marking and striped | | | | |
| Bicycle and Pedestrian | Recommended | TSP | pedestrian lane. | 63 | SE 5th Ave | 7.7 | 3 - Long Term |
| Roadway | Planned | STIP | Reconstruct road. | 21 | Achor Ave | 7.7 | 3 - Long Term |
| New connection to | | | Build new street network with sidewalks in undeveloped area with | | | | |
| existing street | Recommended | TSP | residential zoning. | 37 | New Street | 6.0 | 3 - Long Term |
| New connection to | | | | | | | |
| existing street | Recommended | TSP | Formalize and complete Dogwood Ln to Jewett/151. | 35 | SW Dogwood Ln | 6.0 | 3 - Long Term |
| New connection to | | | Build new road completing a new street network to the north and | | | | |
| existing street | Recommended | TSP | west of the schools. Include bike and pedestrian facilities. | 2 | New Street | 6.0 | 3 - Long Term |
| New connection to | Recommended | 131 | Build new street network with sidewalks in undeveloped area with | _ | I wew street | 0.0 | 5 Long Term |
| existing street | Recommended | TSP | residential zoning. | 27 | New Street | 5.0 | 3 - Long Term |
| Bicycle and Pedestrian | Recommended | TSP | Add bike route with signage. | | NE Orchard Ave | | 3 - Long Term |
| , | | | Reconstruct with sidewalk and curb on north side to access | | | · | j v g v |
| Pedestrian | Recommended | TSP | Pioneer Park Sports Complex. | 56 | NE Center St | 4.7 | 3 - Long Term |
| | | | Reconstruct with curb and sidewalk on one side and designate as | | | | <u> </u> |
| Bicycle and Pedestrian | Recommended | TSP | bike boulevard. | 51 | NE O'Keefe Ave | 4.7 | 3 - Long Term |
| New connection to | | | | | | | 3 |
| existing street | Recommended | TSP | Complete Snohomish Ave between Green St and Wisconsin St. | 20 | NE Snohomish Ave | 4.7 | 3 - Long Term |
| New connection to | | | Build new road completing a new street network to the north and | | | | |
| existing street | Recommended | TSP | west of the schools. Include bike and pedestrian facilities. | 1 | New Street | 4.0 | 3 - Long Term |
| Chisting street | Recommended | 131 | west of the schools. Heldde blke that pedestrial facilities. | | New Street | 4.0 | 5 Long Term |
| New connection to | | | Formalize and build new street connection between W Winds Rd | | | | |
| existing street | Recommended | TSP | and SW Eyrie Rd via Amos Bertie Ln and Cherry Blossom Ln. | 28 | New Street | 0.0 | 3 - Long Term |
| existing street | recommended | 131 | Tana 311 Lyne Na Via Ainos berde En ana enerry biossoill En. | | INCW Street | 0.0 | 5 Long Term |

White Salmon TSP "Lite"

