



**CITY OF WHITE SALMON PLANNING DEPARTMENT  
NOTICE OF SEPA DETERMINATION OF NON-SIGNIFICANCE (DNS),  
COMMENT PERIOD, AND APPEAL PERIOD**

For

**WHITE SALMON'S N MAIN—SPRING STREET WATER IMPROVEMENTS**

**File #WS-SEPA-2023.005**

**Proponent/ Lead agency:** City of White Salmon  
PO Box 2139  
White Salmon, WA 98672

Notice is hereby given that the City of White Salmon (Applicant) filed a State Environmental Policy Act (SEPA) checklist (#WS-SEPA-2023.005) for our N Main—Spring Street Water Improvements.

White Salmon has prepared preliminary engineering plans for N Main-Spring Street Water Improvement. The proposed project includes water main improvements and a new booster pump station. Construction is scheduled for next year after the design proceeding is completed later this year.

The application includes the SEPA checklist and preliminary N Main-Spring Street Water Improvement engineering. Documents are available on the city's website ([whitesalmonwa.gov](http://whitesalmonwa.gov)).

**SEPA Threshold Determination**

White Salmon has determined that this proposal does not have a probable significant adverse impact on the environment. An environmental impact statement is not required under the State Environmental Policy Act, RCW 43.21C.030(2)(c).

After reviewing a completed environmental checklist and other information on file with the agency, the City of White Salmon determined that this proposal will not have a probable significant adverse impact on the environment. This information is available to the public upon request.

**SEPA Comment and Appeal Period**

Any person desiring to express their views or to be notified of the action taken on this application should notify the City of White Salmon in writing of their interest within fourteen (14) days of the date of publication of this notice, which is October 4, 2023. Written comments must be received no later than 5:00 PM on October 18, 2023. Comments can be submitted by mail to City of White Salmon (PO Box 2139, White Salmon, WA 98672), in person at City Hall's Dropbox (100 N. Main), or by email correspondence at [Erikac@ci.white-salmon.wa.us](mailto:Erikac@ci.white-salmon.wa.us)

Per the White Salmon Municipal Code 18.20.170 - Environmental Protection (SEPA review) Appeal, any agency or person may appeal this DNS to the city council. The proponent or any aggrieved party may perfect such appeal by giving notice to the responsible official within ten days of the decision being appealed. Appeals shall not be deemed complete without payment of the appeal fees applicable, payable to the City of White Salmon. Appeals must be filed by October 18, 2023.

Published in the Columbia Gorge News on October 4, 2023, and October 11, 2023.

Posted on bulletin boards at White Salmon City Hall, White Salmon Post Office, and White Salmon Library. E/mailed to local agencies on October 4, 2023.

